

Liquid SpillAway

BIO-REMEDIAL • ENZYMATIC
LAWN & TURF CLEANER

PRODUCT INFORMATION BULLETIN

EnviroLogic
BIO-BASED TECHNOLOGIES Inc.

Product Overview

Liquid SpillAway™ combines the unique properties of bio-remediation with environmentally enhancing cleaning ability of "bio-surface-releasing" agents.

This product was specifically developed to treat hazardous hydrocarbon spills on grass, turf and sensitive vegetation areas. *Liquid SpillAway™* can be utilized in marshy areas where aquatic and insect habitation may be adversely affected by traditional methods of spill recovery and remediation. This is the "gentlest" of all of our products and therefore is an ideal, general purpose cleaner for all grease, oil and hydrocarbon spill clean-up.

Liquid SpillAway™ is non-hazardous, non-corrosive, bio-degradable and easy to use.

How To Use This Product

Liquid SpillAway™ should be used in the same way you would use any general purpose cleaner. This product is highly concentrated and must be diluted at a ration of **1 part** Liquid SpillAway™ to **10 parts water**. You may add more water for greater economy or as your application dictates. The instructions below will give a basic idea of how to use and dilute this product..

1. Add Liquid SpillAway™ to water. One gallon of this product will yield up to 40 gallons of cleaning solution.
2. We suggest initial trials at approximately 20 parts of the product to 1 part water.
3. You may use tap water, fresh water, salt water or rain water. They all work equally well.
4. Mix only the amount that you will need to accomplish your clean-up.
5. Use a brush or sponge to loosen any built-up contamination or dirt.
6. After mixing with water this product has a "shelf-life" of approximately 30 days.

Where To Use This Product

Liquid SpillAway™ can be used in all phases of turf, lawn & vegetation maintenance.

The following is a partial list of the many compounds it will clean & remediate

Please contact *SpillAway Brands* if you have any questions about its usage:

- DIESEL FUEL
- HEATING OIL
- GASOLINE
- BENZENE
- PARAFFIN
- LUBRICATING OIL
- PAINT THINNERS
- MINERAL SPIRITS
- MOTOR OIL
- AROMATICS
- ETHYLBENZENE
- JET FUEL
- CUTTING OILS
- GLYCOLS
- ALCOHOL
- NAPHTHALENE
- CRUDE OIL
- TOLUENE
- KEROSENE
- SOLVENTS
- ANTI-FREEZE
- ORGANIC PESTICIDES
- ORGANIC HERBICIDES
- TRANSMISSION FLUID
- XYLENE
- ORGANIC SOLVENTS
- GREASE
- TARS

Technical Information

Liquid SpillAway™ is an active mixture of hydrocarbon-oxidizing, naturally occurring, single-celled micro-organisms with a "bio-surface cleaning agent & water.

It is specially formulated to be safe, environmentally enhancing and effective.

PHYSICAL PROPERTIES:

Appearance: Green Liquid
Odor: Faint Citrus
Boiling Point: 212° F.
Soluble in Water: Complete
pH Concentrate: 7.2
pH With Water: 6.9 to 7.5
Evaporation Rate: Same as Water

PRODUCT EFFECTIVENESS: The effectiveness of this product and the "speed" at which it works is determined by certain factors. In general these factors are as follows:

TEMPERATURE: The warmer the temperature, the faster this product will work.

The effective operating temperature is between 42° F. & 120° F.

AGE OF THE STAIN OR SPILL: The older the stain or spill, the longer it takes to work.

TYPE OF HYDROCARBON: Some hydrocarbons take longer than others.

The cleaning action of this product begins immediately. The bio-remedial process will begin almost immediately but may take a longer period of time to complete depending on the above factors.

Packaging Information

5 GALLON "CUBTAINERS"
2-1/2 GALLON "F STYLE JUGS" (2 per Case)
1 GALLON "F-STYLE JUGS" (4 per Case)
55 GALLON DRUMS
BULK PACKAGING AVAILABLE



Liquid Remediat

ASK US ABOUT



Remediat